



**STARLIGHT  
LED LIGHTING**




# Product Catalogue


# RECESSED

LINEAR SOLUTIONS






**Profile Picture**



**Cross-Section/  
Dimension**






**Product Picture**



**Light Direction**

Technical Specifications	
<b>Code</b>	SLL9011
<b>Size</b>	9 x 11.60 mm
<b>CRI</b>	85+
<b>Input Power</b>	24 V DC
<b>IP Rating</b>	IP20/IP54

Custom Options Available	
<b>DIFFUSER</b>	PMMA Diffuser (Frosted, Milky)
<b>CCT</b>	2700K/3000K/4000K/5000K/6000K
<b>Watts/M</b>	4.5W -11.5W
<b>Beam Angle</b>	120 Degrees
<b>Finish</b>	Custom Size and Custom Powder Coating finish or Anodized finish available upon request as per RAL code
<b>Application</b>	Feature Ceiling Lighting, Architectural Linear Runs, Premium Commercial Interiors, Statement Lighting, Modern Workspace Illumination, Continuous Linear Geometry



**Installation Guide**

### Installation Accessories




**End Caps**



**Mounting Clips**

### Light Direction Plot




120°

Integrated Lighting for Contemporary Interiors.



Profile Picture



Cross-Section/  
Dimension





Product Picture



Light Direction

Technical Specifications	
<b>Code</b>	SLL2187
<b>Size</b>	21.0 x 8.70 mm
<b>CRI</b>	85+
<b>Input Power</b>	24 V DC
<b>IP Rating</b>	IP20/IP54

Custom Options Available	
<b>DIFFUSER</b>	PMMA Diffuser (Milky, Opal, Frosted)
<b>CCT</b>	2200K/2700K/3000K/3500K/ 4000K/5000K/6000K/6500K, Tunable White, RGBW, RGB, RGBA
<b>Watts/M</b>	4.5W - 14.5 W
<b>Light Angle</b>	120 Degrees
<b>Finish</b>	Custom Size and Custom Powder Coating finish or Anodized finish available upon request as per RAL code
<b>Application</b>	Minimal Recessed Lighting, Joinery Details, Seamless Ceiling Grooves, Cabinet Integration, Linear Architectural Accents, Contemporary Interiors



Installation Guide

### Installation Accessories




End Caps




Mounting Clips


### Light Direction Plot




120°



**Profile Picture**



**Cross-Section**






**Light Direction**

### Technical Specifications

<b>Code</b>	SLL2112X
<b>Size</b>	21.7 x 12 mm
<b>CRI</b>	85+
<b>Input Power</b>	24 V DC
<b>IP Rating</b>	IP40/IP54


### Custom Options Available

<b>DIFFUSER</b>	PMMA Diffuser (Opal, Frosted, Milky)
<b>CCT</b>	2200K/2700K/3000K/3500K/4000K/5000K/6000K/6500K, Tunable White, RGB, RGBW, RGBWW
<b>Watts/M</b>	4.5W - 24.5 W
<b>Light Direction</b>	120 Degrees
<b>Finish</b>	Custom Size and Custom Powder Coating finish or Anodized finish available upon request as per RAL code
<b>Application</b>	Ultra-Slim Recessed Lines, Seamless Joinery Lighting, Contemporary Interior Details, Refined Architectural Accents, Minimal Linear Illumination, Precision Lighting Integration




**Installation Guide**

### Installation Accessories



**End Caps**


### Light Direction Plot




120°

# Orion Beam


Commercial linear lighting for recessed applications



Profile Picture






Cross-Section



Light Direction


Technical Specifications	
<b>Code</b>	SLL2218X
<b>Size</b>	22.8 x 18 mm
<b>CRI</b>	85+
<b>Input Power</b>	24 V DC
<b>IP Rating</b>	IP40/IP54

Custom Options Available	
<b>DIFFUSER</b>	PMMA Diffuser (Opal, Frosted, Milky)
<b>CCT</b>	2200K - 10000K, Tunable White, RGB, RGBW, RGBWW
<b>Watts/M</b>	4.5W - 19.5 W
<b>Light Direction</b>	120 Degrees
<b>Finish</b>	Custom Size and Custom Powder Coating finish or Anodized finish available upon request as per RAL code
<b>Application</b>	Recessed Ceiling, Recessed Task Lighting Application




Installation Guide

## Installation Accessories



End Caps

## Light Direction Plot



120°



**STARLIGHT  
LED LIGHTING**

# CONTACT US

We are always here to help you with your lighting requirements. Reach out to us at any of our offices or connect with our team.



**OFFICE CONTACT**

**+91 81046 60463**

We're just a call away.



**EMAIL US**

- ✉ info@starlightlinearled.com
- ✉ vivek@starlightlinearled.com
- ✉ sales@starlightlinearled.com
- ✉ marketing@starlightlinearled.com



**VISIT OUR WEBSITE**

starlightlinearled.com



**PUNE FACTORY**

M/s.Starlight Led Lighting  
Sr No. 16/6,1, Ground floor,  
Sawali Prestige, Nanded Phata,  
Lane Opp. Sawali Dhaba,  
Sinhgad Road, Pune - 411068

- Subodh Deshpande | +91 9923296600
- Somyakant Patnaik | +91 9096980002
- Kaustubh Dhondarkar | +91 7715949216



**MUMBAI MAIN OFFICE**

03, Vedant 03, P & T Colony,  
Gandhi Nagar,  
Dombivli, East Pin Code - 421201

- Vivek Dhondarkar | +91 9619436066
- Himanshu Wani | +91 9769244566



**BANGALORE OFFICE**

#19, 5th Cross, Defence Colony,  
Hessarghatta Road,  
Bangalore 560073

- Ravihas G | +91 97405 84408



**STRATEGIC  
LOCATIONS**

Pune • Mumbai • Bangalore



**DEDICATED  
SUPPORT**

Experienced team across  
all our offices



**QUICK  
RESPONSE**

We value your time



**RELIABLE  
PARTNER**

Quality products and  
trusted relationships



**EMAIL US**

- ✉ info@starlightlinearled.com
- ✉ vivek@starlightlinearled.com
- ✉ sales@starlightlinearled.com
- ✉ marketing@starlightlinearled.com



**VISIT OUR WEBSITE**  
starlightlinearled.com

**SCAN TO CONNECT**



**FOLLOW US**



LIGHT THAT SHAPES SPACES.



PEOPLE THAT LIGHTEN LIVES.

