



**STARLIGHT
LED LIGHTING**



Product Catalogue

SURFACE MOUNTED


— LINEAR SOLUTIONS —



Seamless Light. Silent Presence.




Profile Picture



Profile Dimension




Product Picture



Light Direction

Technical Specifications	
Code	SLL9953
Size	9.9 x 5.3 mm
CRI	85+
Input Power	24 V DC
IP Rating	IP40/IP54

Custom Options Available	
DIFFUSER	PMMA Diffuser(Milky,Frosted)
CCT	2700K/3000K/4000K
Watts/M	4.5W - 11.5W
Beam Angle	120 Degrees
Finish	Custom Size and Custom Powder Coating finish or Anodized finish available upon request as per RAL code
Application	Under Cabinet, Kitchen Lighting, Furniture & Joinery, Small Coves, Display Shelving, Architectural Accent Lighting



Installation Guide

Installation Accessories




End Caps



Mounting Clips


Light Direction Plot



120°




Profile Picture



Profile Dimension



Product Picture



Light Direction

Technical Specifications	
Code	SLL1013
Size	10 x 13 mm
CRI	85+
Input Power	24 V DC
IP Rating	IP40/IP54

Custom Options Available	
DIFFUSER	PMMA Diffuser(Milky,Frosted)
CCT	2700K/3000K/4000K/5000K/6500K
Watts/M	4.5W - 11.5 W
Light Angle	120 Degrees
Finish	Custom Size and Custom Powder Coating finish or Anodized finish available upon request as per RAL code
Application	Under Cabinet, Kitchen Lighting, Furniture & Joinery, Decorative Lighting, Architectural Accent Lighting, Display Shelving



Installation Guide


Installation Accessories




End Caps

Mounting Clips


Light Direction Plot



120°




Profile Picture



Profile Dimension




Product Picture



Light Direction

Technical Specifications	
Code	SLL7690
Size	7.6 x 9.0 mm
CRI	85+
Input Power	24 V DC
IP Rating	IP40/IP54

Configuration Options Available	
DIFFUSER	PMMA Diffuser(Milky,Frosted)
CCT	2700K/3000K/4000K
Watts/M	4.5W - 11.5W
Beam Angle	120 Degrees
Finish	Custom Size and Custom Powder Coating finish or Anodized finish available upon request as per RAL code
Application	Under Cabinet, Furniture & Joinery, Display Shelving, Cove & Shadow Gap, Wardrobes & Closets, Architectural Accent Lighting



Installation Guide

Installation Accessories




End Caps







Mounting Clips

Light Direction Plot



120°



Profile Photo


Profile Dimension

Product Picture

Light Direction

Technical Specifications	
Code	SLL1214Z
Size	12 x 14 mm
CRI	85+
Input Power	24 V DC
IP Rating	IP40/IP54

Custom Options Available	
DIFFUSER	PMMA Diffuser (Opal, Milky, Frosted)
CCT	2200K/2700K/3000K/3500K /4000K/5000K/6000K/6500K , Tunable White, RGB, RGBWW, RGBA
Watts/M	4.5W - 19.5 W
Beam Angle	120 Degrees
Finish	Custom Size and Custom Powder Coating finish or Anodized finish available upon request as per RAL code
Application	Micro Recessed Lighting, Joinery Detailing, Display Shelving, Shadow Gap Lighting, Cabinet Integration, Minimal Architectural Accents




Installation Accessories







Mounting Cap and End Caps

Light Direction Plot



Installation Guide



Profile Picture


Profile Dimension

Product Picture



Light Direction

Technical Specifications	
Code	SLL1485
Size	14.7 x 8.5 mm
CRI	85+
Input Power	24 V DC
IP Rating	IP40/IP54

Custom Options Available	
DIFFUSER	PMMA Diffuser(Milky,Frosted)
CCT	2200K/2700K/3000K/3500K/4000K/5000K/6000K/6500K, Tunable White, RGB, RGBW, RGBWW
Watts/M	4.5W - 14.5 W
Light Angle	120 Degrees
Finish	Custom Size and Custom Powder Coating finish or Anodized finish available upon request as per RAL code
Application	Cove Lighting, Joinery Lighting, Ceiling Details, Floating Elements, Indirect Lighting, Architectural Linear Illumination



Installation Accessories




Installation Guide

End Caps

Mounting Clips

Light Direction Plot



120°



**STARLIGHT
LED LIGHTING**

CONTACT US

We are always here to help you with your lighting requirements. Reach out to us at any of our offices or connect with our team.



OFFICE CONTACT

+91 81046 60463

We're just a call away.



EMAIL US

- ✉ info@starlightlinearled.com
- ✉ vivek@starlightlinearled.com
- ✉ sales@starlightlinearled.com
- ✉ marketing@starlightlinearled.com



VISIT OUR WEBSITE

starlightlinearled.com



PUNE FACTORY

M/s.Starlight Led Lighting
Sr No. 16/6,1, Ground floor,
Sawali Prestige, Nanded Phata,
Lane Opp. Sawali Dhaba,
Sinhgad Road, Pune - 411068

- Subodh Deshpande | +91 9923296600
- Somyakant Patnaik | +91 9096980002
- Kaustubh Dhondarkar | +91 7715949216



MUMBAI MAIN OFFICE

03, Vedant 03, P & T Colony,
Gandhi Nagar,
Dombivli, East Pin Code - 421201

- Vivek Dhondarkar | +91 9619436066
- Himanshu Wani | +91 9769244566



BANGALORE OFFICE

#19, 5th Cross, Defence Colony,
Hessarghatta Road,
Bangalore 560073

- Ravihas G | +91 97405 84408



**STRATEGIC
LOCATIONS**

Pune • Mumbai • Bangalore



**DEDICATED
SUPPORT**

Experienced team across
all our offices



**QUICK
RESPONSE**

We value your time



**RELIABLE
PARTNER**

Quality products and
trusted relationships



EMAIL US

- ✉ info@starlightlinearled.com
- ✉ vivek@starlightlinearled.com
- ✉ sales@starlightlinearled.com
- ✉ marketing@starlightlinearled.com



VISIT OUR WEBSITE
starlightlinearled.com

SCAN TO CONNECT



FOLLOW US



LIGHT THAT SHAPES SPACES.



PEOPLE THAT LIGHTEN LIVES.

